Measurements of Charm and Bottom Productions in Semi-leptonic Channels at STAR

KUNSU OH (Pusan National University) for the STAR Collaboration



2015 KOBEJAPAN

Abstract

Heavy flavor quarks are suggested as excellent probes to study the strongly interacting Quark-Gluon Plasma (QGP) created in high-energy heavy-ion collisions. Measurements of Non-Photonic Electron (NPE) production from open heavy flavor hadron decays have revealed strong suppression at large transverse momenta in Au+Au collisions at the Relativistic Heavy Ion Collider (RHIC). Such suppression has been attributed to energy losses of heavy flavor quarks within the QGP. Theoretical predictions that are able to describe existing NPE data suggest that bottom quarks lose less energy than charm quarks, but it varies among models how exactly they differ. Therefore it is important to experimentally constrain such model calculations, which can further improve our understanding of parton interactions with the QGP and the QGP properties. Electrons from bottom hadron decays can be statistically separated from charm hadron decay electrons by studying their impact parameter distributions. In this poster, we will present a first attempt to separately measure charm and bottom quark productions through semi-leptonic channels in Au+Au collisions at $\sqrt{s_{NN}}$ = 200 GeV at RHIC, utilizing the new Heavy Flavor Tracker of the STAR experiment.

<u>Motivation</u>	Analysis method
★HF quarks are primarily produced in initial hard Star PRL 105, 202301 (2010) Scattering, and are exposed to the evolution of the	- <i>b</i> hadron decay electrons have larger DCA value than <i>c</i> hadron decay electrons.
hot nuclear matter created at RHIC. $\mathbf{FONLL uncertainty}$	\rightarrow We can distinguish b and c using DCA distributions.

- **★**Using the HF as a probe to study properties of the $\frac{1}{2^{\circ}}$ 0.4 QGP and their dependence on e.g. parton energy loss in medium, system size and collisional energy.
- p+p@200GeV p_⊤ (GeV/c)
- \rightarrow Theories predict for ΔE in medium : $\Delta E_g > \Delta E_{light quark} > \Delta E_c > \Delta E_b$
- → Precise measurements of charm and bottom quark energy loss separately are crucial for understanding the heavy quark energy loss mechanism.
- **★**STAR published $N_{b\to e}/N_{b,c\to e}$ ratio using e-h and e- D^0 correlation in p+p 200 GeV.
- We can obtain DCA distributions for different electron sources in data and/or simulation, and fit the inclusive electron DCA distribution in data to these distributions.
- gamma conversion electrons: data and simulation
- π^0/η Dalitz decay electrons: data and simulation
- $D^0/D^*/D^{\pm}$... decay electrons: simulation
- B^0/B^{\pm} ... decay electrons: simulation







STAR and HFT detector



 \star 2 layers of silicon strip detectors:

- Fast readout, bridging TPC and PXL

★Heavy Flavor Tracker (HFT) : enhance track DCA resolution, installed in 2014

★Time Projection Chamber (TPC) : particle identification (dE/dx \rightarrow n σ_e : modified dE/dx for electron mean is 0 and sigma is 1) and tracking

*Barrel ElectroMagnetic Calorimeter (BEMC) and Barrel Shower Maximum Detector (BSMD) : electron identification (e0 : highest tower energy deposit in the cluster)

★STAR take ~1.2B Au+Au MinBias and ~0.4 nb⁻¹ BEMC triggered data at Run14 with HFT and we expect to increase the Au+Au statistics by a factor of 3 in Run16.



- HFT matching requirement (track hits inner and outer PXL layers) significantly reduces gamma conversion electron background.

Simulation

★ Construct pseudo-data by adding DCA distribution for $D \rightarrow e, B \rightarrow e \text{ and Dalitz decay}$ electrons from fast simulations to obtain the inclusive electron $10^4 - F(D-e)^{Fit} = 0.433 \pm 0.009$ DCA distribution, where $D \rightarrow e$ vs $B \rightarrow e$ ratio is from FONLL and assuming PHE/NPE ratio of 1.

 \star Assume 3x10⁵ electron candidates in $2 < p_T < 4$ GeV/c for Run14+Run16 sample, based on current data statistics. (~50% of Run14 data) **★** Extract $B \rightarrow e$ fraction

- Fit the pseudo-data inclusive electron distribution by $D \rightarrow e, B \rightarrow e$ and Dalitz electron template.



<u>Electron candidates</u>

200**E** - Repeat 1000 times the generation of 150**E** pseudo-data, and $D \rightarrow e, B \rightarrow e$ and Dalitz 100 electron template fit.

Summary and outlook

 \star With the newly installed HFT, STAR can separately measure charm and bottom quark productions through semi-leptonic channels.

* The measurement of Charm and Bottom production in semi-leptonic channel in Au+Au 200 GeV collisions is ongoing.



The STAR Collaboration: http://drupal.star.bnl.gov/STAR/presentations

