

# Production of pions, kaons, (anti-) protons and (multi-) strange hadrons production in Au+Au collisions at $\sqrt{s_{NN}} = 54.4$ GeV using the STAR detector

Yan Huang, Arushi Dhamija

(for the STAR Collaboration)

Exploring the QCD phase diagram and searching for the QCD critical point are some of the main goals of heavy-ion collision experiments. The yields of identified hadrons and (multi-) strange hadrons provide information about the phase diagram and particle production in these collisions. In 2017 the STAR experiment collected large dataset of Au+Au collisions at 54.4 GeV.

The production of identified hadrons ( $\pi^\pm$ ,  $K^\pm$ ,  $p$ ,  $\bar{p}$ ) and strange hadrons ( $K_S^0$ ,  $\Lambda$ ,  $\Xi$ ,  $\Omega$ ,  $\phi$ ) at mid-rapidity is presented. The results for the transverse momentum spectra, particle yields  $dN/dy$ , average transverse momentum  $\langle p_T \rangle$  and particle ratios are presented for different centrality classes. The energy dependence of all these observables will be discussed. The freeze-out conditions in these collisions are obtained using the statistical thermal model. In particular, the strange-to-pion ratios versus charged hadron multiplicity are studied and will be compared to the measurements in heavy-ion collisions at other energies from the BES-I program at RHIC and the ALICE experiment at the LHC.